

REPLACEMENT PARTS GUIDE

Z955R EFI ZTrak Commercial Mower

ENGINE



OIL FILTER
[AM125424](#)

Every 100 hrs.



ENGINE OIL
[TY22029](#) (Turf-Gard™ 10W-30) - 2.6 L (2.7 qt)

Every 100 hrs/Annually.



FILTER ELEMENT
[M131802](#) (PRIMARY)

Every 300 hrs.



[M131803](#) (SECONDARY)

Every 500 hrs.



JOHN DEERE MULTI-PURPOSE HD LITHIUM COMPLEX GREASE
[TY24416](#)



GREASE GUN
[TY26518](#)

Change As Required.



FUEL FILTER
[UC16183](#)

Every 300 hrs.



SPARK PLUG
[UC16172](#)

Every 1000 Hours or Yearly.

TRANSMISSION



HYDRAULIC OIL FILTER
[LVA16054](#)



TRACTION BELT
[TCU34299](#) (LGTH = 1803.9 mm,
WIDTH = 16 mm)



PTO CLUTCH KIT
[AUC18452](#)



CASTER WHEEL
[TCA19309](#)



ELECTRICAL



KEY
[AUC12681](#)



PTO SWITCH
[AUC15008](#)



LAMP
[AM125447](#) (12 V)



IGNITION SWITCH
[AUC18708](#)



V BELT
[TCU39223](#) (ALTERNATOR) (LGTH = 953 mm,
WIDTH = 12.7 mm)



BRAKE SWITCH
[TCA15398](#)



RELAY
[SJ15811](#)



BATTERY
[TY25221B](#) (12 V) (FOR CANADA AND USA)
[MCYP340PE](#) (12 V) (NOT FOR CANADA
AND USA)

FUEL & AIR



FILLER CAP
[TCA19830](#)



MUFFLER
[TCA26234](#)

TRANSMISSION



TIRE
[TCU13631](#) (S/N (-060000), REAR)
[UC23986](#) (S/N (060001-), REAR)

REPLACEMENT PARTS GUIDE

Z955R with 60 inch Deck

MOWER BLADE

- [TCU15881](#) (HIGH LIFT)
- [UC15158](#) (HIGH LIFT SELF SHARPENING)
- [M128485](#) (STANDARD LIFT)
- [M133381](#) (HIGH LIFT)

V BELT

- [TCU35604](#) (LGTH = 4635 mm, TK = 18 mm, WIDTH = 14 mm)



GAGE WHEELS

- [UC28193](#) (ANTI - SCALP)

MULCH BLADE

- [M168223](#)

REPLACEMENT PARTS GUIDE

Z955R with 72 inch Deck

MOWER BLADE


[TCU15882](#) (HIGH LIFT)

[M141669](#) (LOW LIFT)

[UC15157](#) (HIGH LIFT SELF SHARPENING)

V BELT

[TCU31194](#) (LGTH = 5108.4 mm,
WIDTH = 14 mm)



GAGE WHEELS

[UC28193](#) (ANTI - SCALP)



MULCH BLADE

[M142514](#)



REPLACEMENT PARTS GUIDE

Z955R with 72 inch Rear Discharge Deck


MOWER BLADE

[EPC201693](#) (S/N (-120000))

[UC23765](#) (S/N (120001-))

V BELT

[UC21914](#) (LGTH = 5010 mm, TK = 18 mm,
WIDTH = 14 mm)



GAGE WHEELS

[UC28193](#) (ANTI - SCALP)

MULCH BLADE

[M142514](#)