

# REPLACEMENT PARTS GUIDE

## 7200A PrecisionCut™ Trim and Surrounds Mower

### ENGINE



**OIL FILTER**  
**M806418**

Every 250 hrs.



#### ENGINE OIL

**TY26674** (PLUS-50™ II - 15W-40)  
(3.4 L (3.6 qt.)) (WITH FILTER)  
(3.2 L (3.4 qt.)) (WITHOUT FILTER)

Every 250 hrs.



#### FILTER ELEMENT

**M131802** (PRIMARY)  
**M131803** (SECONDARY)

Every 500 hrs.



**JOHN DEERE MULTI-PURPOSE HD LITHIUM COMPLEX GREASE**  
**TY6341**



**GREASE GUN**  
**TY26518**

Change As Required.



#### FUEL FILTER

**MIU800645**

Every 500 hrs.



#### V BELT

**M82461** (LGTH = 990.60 mm, TK = 7.874 mm,  
WIDTH = 12.70 mm)  
**TCU38089** (LGTH = 1475 mm, TK = 12 mm,  
WIDTH = 11 mm)



#### FUEL SEPARATOR ELEMENT

**M811032**

Every 500 hrs.



### ELECTRICAL



**KEY**  
**AUC12681**



**IGNITION SWITCH**  
**TCA22740** (S/N ( - 040000))  
**AUC18708** (S/N (040001 - ))



**BATTERY**  
**TY25876B** (12 V) (FOR CANADA AND USA)  
**MCYP25876** (12 V) (NOT FOR CANADA AND USA)

### FUEL & AIR



**FILLER CAP**  
**LVA18519**



**MUFFLER**  
**MIU803783**

# REPLACEMENT PARTS GUIDE

## 7200A PrecisionCut Reel Cutting Unit

### SYNCHRONOUS BELT

[TCU32423](#) (LGTH = 474 mm, WIDTH = 11 mm)



### REEL

[TCA19355](#) (USE WITH [BM22465](#)) (5 BLADE)  
(26 INCH)


[TCA19357](#) (USE WITH [BM22467](#)) (5 BLADE)  
(30 INCH)

[TCA19356](#) (USE WITH [BM22466](#)) (8 BLADE)  
(26 INCH)

[TCA19358](#) (USE WITH [BM22468](#)) (8 BLADE)  
(30 INCH)

### GRASS CATCHER

[TCA18835](#)



### STATIONARY KNIFE

[UC23481](#) (STANDARD) (26 INCH)  
(HEIGHT OF CUT = 15.8 mm)

[TCU34070](#) (HARDENED INSERT) (26 INCH)  
(HEIGHT OF CUT = 6.3 mm)

[UC23566](#) (TOURNAMENT) (26 INCH)  
(HEIGHT OF CUT = 6.3 mm)

[UC23564](#) (STANDARD) (30 INCH)  
(HEIGHT OF CUT = 15.8 mm)

[UC11472](#) (TOURNAMENT) (30 INCH)  
(HEIGHT OF CUT = 6.3 mm)

# REPLACEMENT PARTS GUIDE

## 7200A PrecisionCut Reel Cutting Unit

### ENGINE

#### ROLLER

[BM17671](#) (SMOOTH ROLLER) (26 INCH)

[BM18439](#) (SMOOTH ROLLER) (30 INCH)

[AMT1287](#) (SPIRAL GROOVED ROLLER)  
(26 INCH)

[AMT1288](#) (SPIRAL GROOVED ROLLER)  
(30 INCH)

[BM25318](#) (GROOVED DISC FRONT ROLLER)  
(26 INCH)

[BM25319](#) (GROOVED DISC FRONT ROLLER)  
(30 INCH)

[BM19819](#) (SPIRAL ROLLER) (30 INCH)

[BM19818](#) (SPIRAL ROLLER) (26 INCH)

#### SCRAPER

[MT5158](#) (LH END)

[MT2341](#) (4 TOOTH)


[MT2340](#) (CENTER)

[MT2342](#) (3 TOOTH)

[MT5159](#) (RH END)

[BM23004](#) (GROOVED ROLLER SCRAPER)  
(30 INCH)

[BM23005](#) (GROOVED ROLLER SCRAPER)  
(26 INCH)



#### DISK

[MT6987](#)

#### TORSION SPRING

[TCU27036](#) (RH)

[TCU27037](#) (LH)

#### BRUSH

[BTC10836](#) (26 INCH REAR ROLLER)

#### SHAFT

[AUC10149](#) (30 INCH)

[AUC10148](#) (26 INCH)

#### BRACKET

[UC18211](#) (RH, IF USING FTC / GTC)  
(LH, IF NO FTC / GTC)

[UC16109](#) (LH, IF USING FTC / GTC)  
(RH, IF NO FTC / GTC)