

REPLACEMENT PARTS GUIDE

6E Series - 1404PL, 1504PL Tractors

CAB



RECIRCULATION AIR FILTER

[RE195491](#)

Clean after every 250 hours and annually. change as required.

ENGINE



PRIMARY FUEL FILTER

[DZ115391](#)



FINAL FUEL FILTER

[DZ115392](#)

Replace after every 500 hours.



OPEN CRANKCASE VENTILATION

[DZ105100](#)

Replace after every 1500 Hours.



PRIMARY AIR FILTER

[AL172780](#)



SECONDARY AIR FILTER

[AL150288](#)

Replace after every 1000 hours or annually whichever occurs first. Change as required.



CAB



FRESH AIR FILTER

[RE198488](#)

Service after every 250 hours. change as required.

ENGINE



OIL FILTER

[RE539279](#)

Replace after Initial 100 Hours and every 250 hours.



DIESEL PARTICULATE FILTER

[DZ115589](#)

HYDRAULIC



OIL FILTER

[SJ11792](#)

Replace after first 100 hours then after every 500 hours.

Jul 2022. Release Date.

CAPACITIES

6E Series - 1404PL, 1504PL Tractors

CAPACITIES (Approximate):

Fuel Tank:

1404PL, 1504PL..... 255 L (67.36 gal)

Crankcase including Filter Change:

Plus-50™ II

1404PL, 1504PL..... 21 L (5.55 gal)

Cooling System:

Cool-Gard™ II

1404PL, 1504PL..... 27.5 L (7.26 gal)

Transmission and Hydraulic System:

Hy-Gard™

..... 60 L (15.65 gal)

Mechanical Front Wheel Drive (MFWD) Axle Housing:

Hy-Gard™

1404PL, 1504PL..... 5 L (1.32 gal)

Mechanical Front Wheel Drive (MFWD) Hubs (Each):

Hy-Gard™

1404PL, 1504PL..... 0.8 L (0.21 gal)



REPLACEMENT PARTS GUIDE

6E Series - 1404PL, 1504PL Tractors

ENGINE

BELT

[L203307](#)

V-BELT, W/ A/C, LGTH= 2946 MM



AXLE

TIE ROD END

[SJ25730](#) - Front Axle (For 1404PL)

[SJ34093](#) - Rear Axle (For 1404PL)

[AM105808](#) - Rear Axle (For 1505PL)

[AM105809](#) - Front Axle (For 1505PL)



ENGINE



BRAKE DISK

[SU34458](#)



BATTERY

[SJ36671](#)

WET CHARGED BATTERY



ALTERNATOR

[SJ24309](#) - 90 A

[TA16698](#) - 110 A



JOHN DEERE

Genuine Parts and Service